

3RT19755AB32

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3rt19755ab32 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Legacy / discontinued |

Technical specification

| | |
|--------------------------------|--|
| Copper Weight | 0 |
| EAN | 4011209584297.0 |
| Quantity in Package | 1 |
| Product Code | 3729 |
| Weight | 1490 |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85045000 |
| Product ID | 3RT1975-5AB32 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.05.2012 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | N |
| eClass 6 | 27-37-10-12 |
| eClass 7.1 | 27-37-10-12 |
| eClass 8 | 27-37-10-12 |
| eClass Version 9 | 27-37-10-12 |
| eClass Version 9.1 | 27-37-10-12 |
| ETIM 7 | EC001043 |
| Group Classification Key | R711 |
| List of Characteristics | CC-IC10 |
| Metals Coefficient | L-R----- |
| Packaging Length | 125,00 |
| Packaging Width | 110,00 |
| Packaging Height | 172,00 |
| Packaging Size | MM |
| Product Description | WYSUWANA CEWKA DO STYCZNIKA WLK. S12 3RT107/3RT127/3RT147 AC/DC ZNAMION. NAP. STERUJĄCE UC23-26V NAPĘD: KONWENC. PODŁ. CAGE CLAMP, |
| Comparative Metals Coefficient | 01.05.2012 |
| REACH | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368 |
| Unit of Measure | ST |
| Article Number | 3RT19755AB32 |
| Product Family | Solenoid coils |

| | |
|-------------------------------------|-----------------------|
| Catalog ID | CC-IC10 |
| Packaging Dimensions | 4.331 x 4.921 x 6.772 |
| Package Size Unit of Measure | Inch |
| Quantity Unit | 1 Piece |
| Voltage Rating | 26 V |
| Product Group | 3729 |
| Net Weight | 3.069 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 85045000 |
| Frequency | 60 Hz |

Description

Changeover operating mechanism for contactors 3RT107, 3RT127, 3RT147, AC (50...60 Hz) / DC operation, 23 ... 26 V Operating mechanism: Standard,economy circuit Spring-type terminal