

3RT2018-2XB42-0LA2

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt2018-2xb42-0la2
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Quantity in Package	1
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621016115.0
Product Code	5330
UPC	195125064102.0
Weight	320
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDP-----
Packaging Length	81,00
Packaging Width	50,00
Packaging Height	76,00
Packaging Size	MM
Product Description	stycznik kolejowy, AC-3e/AC-3, 16 A, 7,5 kW / 400 V, 3-bieg., DC 24-34 V, 0,7-1,25* US, napęd elektroniczny, ze zintegrowanym warystorem, zestyki pomocnicze: 1 NC, przyłącze sprężynowe, wielkość: S00
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
Product ID	3RT2018-2XB42-0LA2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
Article Number	3RT20182XB420LA2

Product Family	SIRIUS 3RT contactors with extended application range, 3-pole
Catalog ID	CC-IC10
Packaging Dimensions	1.969 x 3.189 x 2.992
Quantity Unit	1 Piece
Voltage Rating	400 V, 34 V
Product Group	5330
Net Weight	0.705 lb
Packaging Quantity	1 pieces
Commodity Code	85364900
Current Rating	16 A
Power	7.5 kW
Package Size Unit of Measure	Inch
Utilization Category	AC-3
Trip Curve	C