

### 3RT20271AP001AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rt20271ap001aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621014845.0
Quantity in Package	1
Product Code	5336
Weight	420
Product ID	3RT2027-1AP00-1AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LE0-----
Packaging Length	92,00
Packaging Width	52,00
Packaging Height	106,00
Packaging Size	MM
Product Description	stycznik mocy, AC-3e/AC-3, 32 A, 15 kW / 400 V, 3-bieg., AC 230 V, 50 Hz, zestyki pomocnicze: 1 NO + 1 NC, przyłącze śrubowe, wielkość: S0, pionowa pozycja montażowa
Comparative Metals Coefficient	01.10.2009
Unit of Measure	ST
Article Number	3RT20271AP001AA0
Product Family	SIRIUS 3RT contactors, 3-pole, up to 250 kW
Catalog ID	CC-IC10

<b>Packaging Dimensions</b>	2.047 x 3.622 x 4.173
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	400 V, 230 V
<b>Product Group</b>	5336
<b>Net Weight</b>	0.935 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85364900
<b>Current Rating</b>	32 A
<b>Power</b>	15 kW
<b>Frequency</b>	50 Hz
<b>Number of Poles</b>	3
<b>Utilization Category</b>	AC-3

## Description

Power contactor, AC-3 32 A, 15 kW / 400 V 1 NO + 1 NC, 230 V AC, 50 Hz 3-pole, size S0 screw terminals Upright mounting position