

3RT20351KB443MA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt20351kb443ma0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	1.36 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621009933.0
Quantity in Package	1
Product Code	5338
UPC	804766171031.0
Packaging Size	MM
Product Description	stycznik mocy, AC-3e/AC-3, 41 A, 18,5 kW / 400 V, 3-bieg., DC 24 V, 0,8-1,2* US, ze zintegrowanym warystorem, zestyki pomocnicze: 2 NO + 2 NC, przyłącze śrubowe, wielkość: S2, nadaje się do wyjść PLC, łącznik pomocniczy zamontowany na stałe
Product ID	3RT2035-1KB44-3MA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDP-----
Packaging Length	187,00
Packaging Height	80,00
Comparative Metals Coefficient	01.10.2014
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Packaging Width	131,00

Description

power contactor, AC-3 40 A, 18.5 kW / 400 V 2 NO + 2 NC, 24 V DC with varistor, 3-pole, Size S2, screw terminal Captive auxiliary switch Suitable for 2 A PLC outputs