

### 3RT2036-1AP00

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rt2036-1ap00
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.91 kgs
Configurable Product	False
Country of Origin	DE
ETIM 7	EC000066
Group Classification Key	R711
Metals Coefficient	LF0-----
Packaging Width	62,00
Packaging Height	142,00
Packaging Size	MM
Unit of Measure	ST
Product ID	3RT2036-1AP00
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
List of Characteristics	CC-IC10
Packaging Length	122,50
Comparative Metals Coefficient	01.10.2014
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4011209939820.0
Quantity in Package	1
Product Code	5338
UPC	887621916473.0
Product Description	stycznik mocy, AC-3e/AC-3, 51 A, 22 kW / 400 V, 3-bieg., AC 230 V, 50 Hz, zestyki pomocnicze: 1 NO + 1 NC, przyłącze śrubowe, wielkość: S2

## Description

3RT2036-1AP00 | Siemens, Power Contactor, 230 V ac, 79 kW, 70 A, 3 Poles, Size S2 | Brand / Manufacturer: Siemens | product type: Power Contactor | number of bars: 3 | contact configuration: 3P | current rating: 70 A | power classification: 79 kW | supply voltage: 230 V ac | size: S2 | type of tension: AC | frequency classification: 50 Hz | number of auxiliary contacts: 2