

3RT20383NF30

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt20383nf30
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
EAN	4047621003498.0
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
Quantity in Package	1
Packaging Length	122,50
Packaging Width	62,00
Packaging Height	142,00
Product Code	5338
Comparative Metals Coefficient	01.10.2014
UPC	887621918613.0
Weight	1125 kg
Product ID	3RT2038-3NF30
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDP-----
Packaging Size	MM
Product Description	stycznik mocy, AC-3e/AC-3, 80 A, 37 kW / 400 V, 3-bieg., AC/DC 83-155 V, 50/60 Hz, ze zintegrowanym warystorem, zestyki pomocnicze: 1 NO + 1 NC, obwód główny: przyłącze śrubowe, obwód sterowniczy i pomocniczy: przyłącze sprężynowe, wielkość: S2,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Copper Weight	0

Description

Power contactor, AC-3 80 A, 37 kW / 400 V 1 NO + 1 NC, 83-155 V AC/DC with varistor
3-pole, size S2 Spring-type terminals