

3RT20461KB443MA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt20461kb443ma0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621025667.0
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
Quantity in Package	1
Packaging Length	78,00
Packaging Width	212,00
Packaging Height	157,00
Product Code	5370
Comparative Metals Coefficient	01.03.2017
UPC	804766492945.0
Product ID	3RT2046-1KB44-3MA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LE0-----
Packaging Size	MM
Product Description	stycznik mocy, AC-3e/AC-3, 95 A, 45 kW / 400 V, 3-bieg., DC 24 V, 0,8-1,2* US, ze zintegrowanym warystorem, zestyki pomocnicze: 1 NO + 1 NC, przyłącze śrubowe, wielkość: S3, nadaje się do wyjść PLC, łącznik pomocniczy zamontowany na stałe
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Weight	1905 kg

Description

Power contactor AC-3e/AC-3 rated at 95 A and 45 kW at 400 V. Powered by DC 24 V, featuring an integrated varistor and auxiliary contacts: 1 NO + 1 NC. Screw connection, size S3, suitable for PLC outputs. RoHS compliant since 01.03.2017.