

3RT24461NB30

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt24461nb30
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	1833 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621028002.0
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
Packaging Length	160,00
Packaging Width	80,00
Packaging Height	170,00
Product Code	5370
Comparative Metals Coefficient	27.04.2017
UPC	804766503061.0
Product ID	3RT2446-1NB30
AL Field	N
Compliance	Produkt zgodny z RoHS od: 27.04.2017
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LE0-----
Packaging Size	MM
Product Description	stycznik AC-1, 140 A, 690 V / 40 °C, 3-bieg., AC/DC 20-33 V, 50/60 Hz, ze zintegrowanym warystorem, zestyki pomocnicze: 1 NO + 1 NC, obwód główny: zacisk ramowy, obwód sterowniczy i pomocniczy: przyłącze śrubowe wielkość: S3
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Quantity in Package	1

Description

Contactor, AC-1, 140 A/690 V/40 °C, S3, 3-pole, 20-33 V AC/DC, with varistor, 1 NO+1 NC, box terminal/screw terminal