

### 3RV1011-0BA15

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 3rv1011-0ba15                    |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                |   |
|--------------------------------|---|
| Weight                         | 0.45 kgs  |
| Product ID                     | 3RV1011-0BA15   |
| Aluminium Weight               | 0   |
| Argent Weight                  | 0   |
| Customs Tariff Code            | 85362010  |
| Copper Weight                  | 0   |
| EAN                            | 4011209381681.0   |
| Quantity in Package            | 1   |
| Packaging Height               | 84,00   |
| Product Description            | WYŁĄCZNIK, WIELKOŚĆ S00 DO OCHRONY SILNIKÓW, CLASS 10, ZAKRES NASTAW TERM. WYZW. PRZECIĄŻ. 0.14...0.2A, BEZZWŁ. WYZW. ZWARC. NAPDPR. 2.6A, PRZYŁĄCZE ŚRUBOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA Z POPRZECZNYMI STYKAMI POM. 1NO/1NC |
| Product Code                   | 3715  |
| UPC                            | 40892922400.0   |
| AL Field                       | N   |
| Compliance                     | Produkt zgodny z RoHS od: 01.01.2013  |
| Configurable Product           | False   |
| Country of Origin              | DE  |
| ECCN                           | N   |
| eClass 6                       | 27-37-04-01   |
| eClass 7.1                     | 27-37-04-01   |
| eClass 8                       | 27-37-04-01   |
| eClass Version 9               | 27-37-04-01   |
| eClass Version 9.1             | 27-37-04-01   |
| ETIM 7                         | EC000074  |
| Group Classification Key       | R711  |
| List of Characteristics        | CC-IC10   |
| Metals Coefficient             | LAP-----  |
| Packaging Length               | 100,00  |
| Packaging Width                | 49,00   |
| Packaging Size                 | MM  |
| Comparative Metals Coefficient | 01.01.2013  |
| REACH                          | Lead CAS-Nr. 7439-92-1  |
| Unit of Measure                | ST  |

## Description

Circuit breaker size S00 for motor protection, CLASS 10 A-release 0.14...0.2 A N-release 2.6 A Screw terminal Standard switching capacity with transverse auxiliary switch 1 NO+1 NC