

### 3RV1011-0FA10

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rv1011-0fa10
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.08 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4011209263475.0
Quantity in Package	1
Packaging Height	84,00
Product Description	WYŁĄCZNIK, ZAKRES NASTAW TERM. WYZW. PRZECIAŻ. 0.35...0.50A BEZZWŁ. WYZW. ZWARĆ. NAPDPR. 6, 5 A, WIELKOŚĆ S00, DO OCHRONY SILNIKÓW, CLASS 10, PRZYŁĄCZE ŚRUBOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA
Product Code	3715
UPC	754554408781.0
REACH	Lead CAS-Nr. 7439-92-1
eClass 6	27-37-04-01
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
ETIM 7	EC000074
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LAP-----
Packaging Length	100,00
Packaging Width	49,00
Packaging Size	MM
Comparative Metals Coefficient	01.01.2013
Configurable Product	False
Country of Origin	DE
ECCN	N
Unit of Measure	ST
Product ID	3RV1011-0FA10
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2013

## Description

3RV1011-0FA10 | Siemens, Motor Protection Circuit Breaker, 0.5 A, 690 V ac, Screw Mount;Snap-On Mount, 100 kA (AC);10 kA (DC), Screw, Thermal-Magnetic, Rocker, 45 x 75 x 90 mm | Brand / Manufacturer: Siemens | product type: Motor Protection Circuit Breaker | number of bars: 3 | current rating: 0.5 A | rated voltage: 690 V ac | type of attachment: Screw Mount;Snap-On Mount | power off: 100 kA (AC);10 kA (DC) | type of output terminal: Screw | protection functions: Motor Protection | release: Thermal-Magnetic