

3RV1011-0HA15

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3rv1011-0ha15 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|---|
| Weight | 0.45 kgs |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85362010 |
| Copper Weight | 0 |
| EAN | 4011209381742.0 |
| AL Field | N |
| Quantity in Package | 1 |
| Packaging Height | 84,00 |
| Product Code | 3715 |
| UPC | 754554966458.0 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | N |
| eClass 6 | 27-37-04-01 |
| eClass 7.1 | 27-37-04-01 |
| eClass 8 | 27-37-04-01 |
| eClass Version 9 | 27-37-04-01 |
| eClass Version 9.1 | 27-37-04-01 |
| ETIM 7 | EC000074 |
| Product ID | 3RV1011-0HA15 |
| Compliance | Produkt zgodny z RoHS od: 01.01.2013 |
| Group Classification Key | R711 |
| List of Characteristics | CC-IC10 |
| Metals Coefficient | LAP----- |
| Packaging Length | 100,00 |
| Packaging Width | 49,00 |
| Packaging Size | MM |
| Product Description | WYŁĄCZNIK, WIELKOŚĆ S00, DO OCHRONY SILNIKÓW, CLASS 10, ZAKRES NASTAW TERM. WYZW. PRZECIĄŻ. 0.55...0.8A, BEZZWŁ. WYZW. ZWARC. NAPDPR. 10A, PRZYŁĄCZE ŚRUBOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA Z POPRZECZNYMI STYKAMI POM. 1NO/1NC |
| Comparative Metals Coefficient | 01.01.2013 |
| REACH | Lead CAS-Nr. 7439-92-1 |
| Unit of Measure | ST |

Description

Circuit breaker size S00 for motor protection, CLASS 10 A-release 0.55...0.8 A N-release 10 A Screw terminal Standard switching capacity with transverse auxiliary switch 1 NO+1 NC