

### 3RV1011-1BA10

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rv1011-1ba10
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.11 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4011209263536.0
Quantity in Package	1
Packaging Height	84,00
Product Code	3715
UPC	754554408903.0
Product ID	3RV1011-1BA10
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2013
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-04-01
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
REACH	Lead CAS-Nr. 7439-92-1
Product Description	WYŁĄCZNIK, ZAKRES NASTAW TERM. WYZW. PRZECIĄŻ. 1.4...2 A, BEZZWŁ. WYZW. ZWARC. NAPDPR. 26 A, WIELKOŚĆ S00, DO OCHRONY SILNIKÓW, CLASS 10, PRZYŁĄCZE ŚRUBOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA
Comparative Metals Coefficient	01.01.2013
ETIM 7	EC000074
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LAP-----
Packaging Length	100,00
Packaging Width	49,00
Packaging Size	MM
Unit of Measure	ST

## Description

3RV1011-1BA10 | Siemens, Circuit Breaker, 2 A, 690 V ac, DIN Rail Mount, 2000 kA, 3 Poles  
| Brand / Manufacturer: Siemens | product type: Circuit Breaker | number of bars: 3 |  
current rating: 2 A | rated voltage: 690 V ac | type of attachment: DIN Rail Mount |  
power off: 2000 kA | type of output terminal: Screw | release: Magnetic Trip | reset  
actuator type: Rocker | tripping characteristic: Class 10 | operating temperature range:  
-20 to +60 °C | Size: 45 x 75 x 90 mm