

3RV1011-1DA15

Industrial automation components

Manufacturer	Siemens
Catalog number	3rv1011-1da15
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.13 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4011209381803.0
Quantity in Package	1
Packaging Height	84,00
Product Code	3715
UPC	40892554342.0
Product Description	WYŁĄCZNIK, WIELKOŚĆ S00, DO OCHRONY SILNIKÓW, CLASS 10, ZAKRES NASTAW TERM. WYZW. PRZECIĄŻ. 2.2...3.2A, BEZZWŁ. WYZW. ZWARC. NAPDPR. 42A, Z POPRZECZNYMI STYKAMI POM. 1N0+1NC, SCREW CONN., STANDARD BREAKING CAPAC.
Product ID	3RV1011-1DA15
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2013
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-04-01
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
ETIM 7	EC000074
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LAP-----
Packaging Length	100,00
Packaging Width	49,00
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Comparative Metals Coefficient	01.01.2013

Description

3RV1011-1DA15 | Siemens, Circuit Breaker, Rocker Actuator, 690 V, 3.2 A, 45 x 75 x 90 mm
| Brand / Manufacturer: Siemens | product type: Circuit Breaker | type of actuator:
Rocker | number of bars: 3 | rated voltage: 690 V | degree of strength: 100 kA @ 400 V |
current rating: 3.2 A | operating temperature range: -20 to +60 °C | trip type: Magnetic
| connection type: Screw | type of attachment: Screw Mount;Snap On Mount | Size: 45 x 75
x 90 mm | requirements met: CCC Certified;CSA Certified;UL Listed;EAC Certified;ATEX;DIN
EN 81346-2;SN 31920;VDE Certified;DIN EN 50022