

3RV2011-1AA10

Industrial automation components

Manufacturer	Siemens
Catalog number	3rv2011-1aa10
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.15 kgs
Product ID	3RV2011-1AA10
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Country of Origin	DE
ECCN	N
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LAP-----
Product Description	WYŁĄCZNIK SILNIKOWY SZ S00, DO OCHRONY SILNIKA, CLASS 10, WYZW. TERM.1.1...1.6A, WYZW. ZWARC. 21A, PRZYŁ. ŚRUBOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1
eClass 6	27-37-04-01
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
ETIM 7	EC000074
Packaging Length	102,00
Unit of Measure	ST
Aluminium Weight	0
EAN	4011209712416.0
Quantity in Package	1
Product Code	5332
UPC	662643921786.0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
Packaging Width	49,00
Packaging Height	102,00
Packaging Size	MM

Description

3RV2011-1AA10 | Siemens, Circuit Breaker, 3 Pole, 1.6 A, 690 V ac, 45 x 96.9 x 97 mm | Brand / Manufacturer: Siemens | product type: Circuit Breaker | number of bars: 3 | current rating: 1.6 A | rated voltage: 690 V ac | type of attachment: Screw Mount; Snap On Mount; DIN Rail Mount | power off: 100 kA @ 240 V ac; 100 kA @ 400 V ac; 100 kA @ 500 V ac; 100 kA @ 690 V ac | type of output terminal: Screw | protection functions: Short-Circuit | release: Magnetic | reset actuator type: Auxiliary Switch | tripping characteristic: Class 10 | operating temperature range: -20 to +60 °C | Size: 45 x 96.9 x 97 mm