

3RV2011-1DA10

Industrial automation components

Manufacturer	Siemens
Catalog number	3rv2011-1da10
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.32 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4011209712447.0
Quantity in Package	1
Product Code	5332
UPC	662643921939.0
Unit of Measure	ST
Product ID	3RV2011-1DA10
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-04-01
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
ETIM 7	EC000074
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LAP-----
Packaging Length	102,00
Packaging Width	49,00
Packaging Height	102,00
Packaging Size	MM
Product Description	WYŁĄCZNIK SILNIKOWY SZ S00, DO OCHRONY SILNIKA, CLASS 10, WYZW. TERM.2.2...3.2A, WYZW. ZWARC. 42A, PRZYŁ. ŚRUBOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1

Description

3RV2011-1DA10 | Siemens, Circuit Breaker, 3 Pole, 3.2 A @ 400 V ac 690 V ac, 100 kA, Thermal-Magnetic, 97 x 45 x 96 mm | Brand / Manufacturer: Siemens | product type: Circuit Breaker | number of bars: 3 | current rating: 3.2 A @ 400 V ac | rated voltage: 690 V ac | type of attachment: DIN Rail Mount | power off: 100 kA @ 240 V ac; 100 kA @ 400 V ac; 100 kA @ 500 V ac; 10 kA @ 690 V ac | type of output terminal: Screw | protection functions: Phase Failure Detection; Short-Circuit | release: Thermal-Magnetic | reset actuator type: Rotary Switch | tripping characteristic: Class 10 | operating temperature range: -20 to +60 °C (Ambient) | Size: 97 x 45 x 96 mm