

3RV2011-1EA20

Industrial automation components

Manufacturer	Siemens
Catalog number	3rv2011-1ea20
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.08 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
AL Field	N
EAN	4011209724280.0
Product Description	WYŁĄCZNIK SILNIKOWY SZ S00, DO OCHRONY SILNIKA, CLASS 10, WYZW.TERM. 2.8...4A, WYZW. ZWARC. 52A, ZACISKI SPRĘŻYNOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA
Country of Origin	DE
Quantity in Package	1
Product Code	5332
UPC	662643923940.0
Product ID	3RV2011-1EA20
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
ECCN	N
eClass 6	27-37-04-01
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
ETIM 7	EC000074
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LAP-----
Packaging Length	120,00
Packaging Width	52,50
Packaging Height	106,50
Packaging Size	MM
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST

Description

3RV2011-1EA20 | Siemens, Circuit Breaker, 3 Pole, 4 A, 690 V ac, 45 x 96.9 x 106 mm | Brand / Manufacturer: Siemens | product type: Circuit Breaker | number of bars: 3 | current rating: 4 A | rated voltage: 690 V ac | type of attachment: Screw Mount; Snap On Mount; DIN Rail Mount | power off: 100 kA @ 240 V ac; 100 kA @ 400 V ac; 100 kA @ 500 V ac; 4 kA @ 690 V ac | type of output terminal: Spring | protection functions: Short-Circuit | release: Magnetic | reset actuator type: Auxiliary Switch | tripping characteristic: Class 10 | operating temperature range: -20 to +60 °C | Size: 45 x 96.9 x 106 mm