

### 3RV2021-4AA20

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rv2021-4aa20
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Weight	0.06 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4011209724426.0
Quantity in Package	1
Product Code	5333
UPC	662643924299.0
Product ID	3RV2021-4AA20
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 7.1	27-37-04-01
eClass 8	27-37-04-01
eClass Version 9	27-37-04-01
eClass Version 9.1	27-37-04-01
ETIM 7	EC000074
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LBP-----
Packaging Length	133,00
Packaging Width	52,50
Packaging Height	106,50
Packaging Size	MM
eClass 6	27-37-04-01
Product Description	WYŁĄCZNIK SILNIKOWY SZ S0, DO OCHRONY SILNIKA, CLASS 10, WYZW.TERM. 11...16A, WYZW. ZWARC. 208A, ZACISKI SPRĘŻYNOWE, STANDARDOWA ZDOLNOŚĆ ŁĄCZENIOWA,
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST

## Description

3RV2021-4AA20 | Siemens, Circuit Breaker, 16 A, 690 V ac, DIN Rail Mount, 2 kA, 3 Poles |  
Brand / Manufacturer: Siemens | product type: Circuit Breaker | number of bars: 3 |  
current rating: 16 A | rated voltage: 690 V ac | type of attachment: DIN Rail Mount |  
power off: 2 kA | type of output terminal: Spring | release: Magnetic Trip | reset  
actuator type: Handle | tripping characteristic: Class 10 | operating temperature range:  
-20 to +60 °C | Size: 45 x 96.8 x 119 mm