

3RW3014-1BB04

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw3014-1bb04
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.45 kgs
Aluminium Weight	0
AL Field	N
Argent Weight	0
Country of Origin	CZ
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209719590.0
Quantity in Package	1
Product Code	5345
Unit of Measure	ST
UPC	40892691870.0
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Product Description	SIRIUS SOFTSTART, WLK. S00, 6.5A, 3KW/400V, 40 ST., 200-480V AC, 24V AC/DC, ZACISKI ŚRUBOWE,
Product ID	3RW3014-1BB04
Configurable Product	False
ECCN	EAR99
eClass 8	27-37-09-07
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Group Classification Key	R711
ETIM 7	EC000640
Metals Coefficient	LB0-----
List of Characteristics	CC-IC10
Packaging Length	162,00
Packaging Width	210,00
Packaging Height	60,00
Packaging Size	MM
Comparative Metals Coefficient	01.07.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Lead titanium zirconium oxide lblREACHCasNo0830

Description

3RW3014-1BB04 | Siemens Soft Starter 1 hp | Brand / Manufacturer: Siemens | product type: Soft Starter | type of motor starter: SIRIUS Soft Starter | power classification: 3 kW | control voltage: 200 to 480 V ac 24 V dc | current rating: 6.5 A | phase: 3 | minimum operating frequency: 50 Hz | maximum operating frequency: 60 Hz | type of attachment: DIN Rail Mount | voltage on terminals: Screw