

3RW30172BB14

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw30172bb14
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

eClass 7.1	27-37-09-07
eClass 6	27-37-09-07
ECCN	N
eClass Version 9	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9.1	27-37-09-07
Group Classification Key	R711
ETIM 7	EC000640
List of Characteristics	CC-IC10
Metals Coefficient	LBO-----
Packaging Length	162,00
Packaging Width	126,00
Packaging Height	60,00
Packaging Size	MM
Product Description	SIRIUS SOFTSTART, WLK. S00, 12.5A, 5.5KW/400V, 40 ST., 200-480V AC, 110-230V AC/DC, ZACISKI SPRĘŻYNOWE,
Comparative Metals Coefficient	01.07.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Lead titanium zirconium oxide lblREACHCasNo0830
Product ID	3RW3017-2BB14
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	CZ
Quantity in Package	1
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209719736.0
Product Code	5345
UPC	754554958460.0
Weight	463
Unit of Measure	ST

Description

SIRIUS soft starter S00 12.5 A, 5.5 kW/400 V, 40 °C 200-480 V AC, 110-230 V AC/DC
spring-type terminals