

3RW30362BB04

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw30362bb04
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Packaging Length	197,00
Packaging Width	169,00
Packaging Height	71,00
Product Code	5345
Comparative Metals Coefficient	01.05.2012
UPC	754554958255.0
Weight	1169 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Product ID	3RW3036-2BB04
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
ECCN	N
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LB0-----
Packaging Size	MM
Product Description	SIRIUS SOFTSTART, WLK. S2, 45A, 22KW/400V, 40 ST., 200-480V AC, 24V AC/DC, ZACISKI SPRĘŻYNOWE,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \b\REACHCasNo7368; Lead titanium zirconium oxide \b\REACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts \b\REACHCasNo0211
Unit of Measure	ST
Copper Weight	0
EAN	4011209719323.0
eClass 6	27-37-09-07
Quantity in Package	1

Description

SIRIUS soft starter S2 45 A, 22 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC spring-type terminals