

3RW40262BB04

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw40262bb04
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209694040.0
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Quantity in Package	1
Packaging Length	153,00
Packaging Width	57,00
Packaging Height	182,00
Product Code	3727
Comparative Metals Coefficient	01.07.2006
UPC	754554958668.0
Weight	751
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	CZ
ECCN	EAR99
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Size	MM
Product Description	SIRIUS SOFTSTART, WLK. S0, 25A, 11KW/400V, 40 ST., AC 200-480V, AC/DC 24V, ZACISKI SPRĘŻYNOWE,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105; Lead titanium zirconium oxide lblREACHCasNo0830
Product ID	3RW4026-2BB04
AL Field	N
Unit of Measure	ST

Description

SIRIUS soft starter S0 25 A, 11 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC spring-type terminals