

3RW40281BB05

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw40281bb05
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	0.45 kgs
Product ID	3RW4028-1BB05
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	CZ
EAN	4011209691797.0
Group Classification Key	R711
List of Characteristics	CC-IC10
Quantity in Package	1
Packaging Width	156,00
Packaging Size	MM
Packaging Height	58,00
Product Description	SIRIUS SOFTSTART, WLK. S0, 38A, 22KW/500V, 40 ST., AC 400-600V, AC/DC 24V, ZACISKI ŚRUBOWE,
Product Code	3727
Comparative Metals Coefficient	01.07.2006
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105; Lead titanium zirconium oxide lblREACHCasNo0830
UPC	754554958767.0
Unit of Measure	ST
ECCN	EAR99
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
ETIM 7	EC000640
Metals Coefficient	LA0-----
Packaging Length	182,00

Description

SIRIUS soft starter S0 38 A, 22 kW/500 V, 40 °C 400-600 V AC, 24 V AC/DC Screw terminals