

3RW40281TB05

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw40281tb05
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

EAN	4011209691803.0
eClass 6	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Quantity in Package	1
Packaging Length	182,00
Packaging Width	210,00
Packaging Height	58,00
Weight	721 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
Product Code	3727
Comparative Metals Coefficient	01.07.2006
UPC	754554969237.0
Country of Origin	CZ
ECCN	EAR99
eClass 7.1	27-37-09-07
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Size	MM
Product ID	3RW4028-1TB05
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Product Description	SIRIUS SOFTSTART, WLK. S0, 38A, 22KW/500V, 40 ST., AC 400-600V, AC/DC 24V, ZACISKI ŚRUBOWE, Z TERMISTOROWĄ OCHR. SILNIKÓW,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \b\REACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one \b\REACHCasNo8105; Lead titanium zirconium oxide \b\REACHCasNo0830
Unit of Measure	ST

Description

SIRIUS SOFTSTART, S0, 38A, 22KW/500V, 40 PCS., AC 400-600V, AC/DC 24V, with screw terminals and thermistor motor protection, weight 0.91 kg.