

3RW40362TB05

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw40362tb05
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Packaging Length	197,00
Packaging Width	220,00
Packaging Height	71,00
ECCN	EAR99
Weight	1286 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
Product Code	3727
Comparative Metals Coefficient	01.05.2012
UPC	195125051065.0
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Quantity in Package	1
Packaging Size	MM
Product ID	3RW4036-2TB05
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	Germany
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Lead titanium zirconium oxide lblREACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
eClass 6	27-37-09-07
EAN	4011209696327
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
Product Description	SIRIUS soft starter S2 45 A, 30 kW/500 V, 40 °C 400-600 V AC, 24 V AC/DC spring-type terminals Thermistor motor protection

Article Number	3RW40362TB05
Product Family	3RW40 soft starters
Catalog ID	CC-IC10
Packaging Dimensions	2.697 x 6.654 x 7.677
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	500 V, 600 V, 24 V
Product Group	3727
Net Weight	2.862 lb
Packaging Quantity	1 pieces
Commodity Code	85371098
Current Rating	45 A
Power	30 kW

Description

SIRIUS soft starter S2 45 A, 30 kW/500 V, 40 °C 400-600 V AC, 24 V AC/DC spring-type terminals Thermistor motor protection