

3RW4037-1BB14

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw4037-1bb14
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.82 kgs
Product ID	3RW4037-1BB14
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
ECCN	EAR99
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Length	197,00
Packaging Width	212,00
Packaging Height	73,00
Packaging Size	MM
Product Description	SIRIUS SOFTSTART, WLK. S2, 63A, 30KW/400V, 40 ST., AC 200-480V, AC/DC 110-230V, ZACISKI ŚRUBOWE,
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \b1REACHCasNo7368; Lead titanium zirconium oxide \b1REACHCasNo0830
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209692077.0
Quantity in Package	1
Product Code	3727

Description

3RW4037-1BB14 | Siemens, Soft Starter, 3 Phase, 30 kW, 480 V ac/110 to 230 V ac/dc, 63 A, 160 x 55 x 170 mm | Brand / Manufacturer: Siemens | product type: Soft Starter | type of motor starter: SIRIUS Soft Starter | power classification: 30 kW | control voltage: 480 V ac;110 to 230 V ac/dc | current rating: 63 A | phase: 3 | minimum operating frequency: 50 Hz | maximum operating frequency: 60 Hz | type of attachment: Screw Mount;Snap-On Mount | voltage on terminals: Screw