

3RW40371TB05

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw40371tb05
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Packaging Size	MM
ECCN	N
eClass 6	27-37-09-07
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209692091.0
Aluminium Weight	0
Product ID	3RW4037-1TB05
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
Product Description	SIRIUS SOFTSTART, WLK. S2, 63A, 37KW/500V, 40 ST., AC 400-600V, AC/DC 24V, ZACISKI ŚRUBOWE, Z TERMISTOROWĄ OCHR. SILNIKÓW,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \bREACHCasNo7368; Lead titanium zirconium oxide \bREACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts \bREACHCasNo0211
Unit of Measure	ST
Product Code	3727
Comparative Metals Coefficient	01.05.2012
UPC	40892914368.0
Weight	1280 kg
Packaging Height	198,00
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Quantity in Package	1
Packaging Length	169,00
Packaging Width	70,00

Description

SIRIUS soft starter S2 63 A, 37 kW/500 V, 40 °C 400-600 V AC, 24 V AC/DC Screw terminals
Thermistor motor protection