

### 3RW40382BB05

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rw40382bb05
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

ECCN	N
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Quantity in Package	1
Packaging Size	MM
Weight	1294 kg
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
Product Code	3727
Comparative Metals Coefficient	01.05.2012
UPC	754554958958.0
Aluminium Weight	0
Product ID	3RW4038-2BB05
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
Product Description	SIRIUS SOFTSTART, WLK. S2, 72A, 45KW/500V, 40 ST., AC 400-600V, AC/DC 24V, ZACISKI SPRĘŻYNOWE,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Lead titanium zirconium oxide lblREACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
EAN	4011209696457.0
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Packaging Length	197,00
Packaging Width	212,00
Packaging Height	71,00

## Description

SIRIUS SOFTSTART, WLK. S2, 72A, 45KW/500V, 40 ST., AC 400-600V, AC/DC 24V, SPRING TERMINALS. Product compliant with RoHS since 01.05.2012. Weight is 1.36 kg, and packaging dimensions are 197 mm in length, 212 mm in width, and 71 mm in height. Country of origin: Czech Republic. Product code: 3727, EAN: 4011209696457. Contains substances compliant with REACH, including lead and its compounds.