

3RW4046-2TB04

Industrial automation components

Manufacturer	Siemens
Catalog number	3rw4046-2tb04
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product ID	3RW4046-2TB04
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
ECCN	N
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Length	182,00
Packaging Width	210,00
Packaging Height	220,00
Packaging Size	MM
Product Description	SIRIUS SOFTSTART, WLK. S3, 80A, 45KW/400V, 40 ST., AC 200-480V, AC/DC 24V, ZACISKI SPRĘŻYNOWE, Z TERMISTOROWĄ OCHR. SILNIKÓW,
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Lead titanium zirconium oxide lblREACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209696495.0
Quantity in Package	1
Product Code	3727
UPC	804766335976.0
Weight	1854

Description

SIRIUS soft starter S3 80 A, 45 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC spring-type terminals Thermistor motor protection