

### 3RW40471TB05

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rw40471tb05
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

ECCN	N
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Width	182,00
Packaging Height	88,00
Packaging Size	MM
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
Product Code	3727
Comparative Metals Coefficient	01.05.2012
UPC	887621088996.0
Weight	1860 kg
Product ID	3RW4047-1TB05
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
Product Description	SIRIUS SOFTSTART, WLK. S3, 106A, 75KW/500V, 40 ST., AC 400-600V, AC/DC 24V, ZACISKI ŚRUBOWE, Z TERMISTOROWĄ OCHR. SILNIKÓW,
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lb\REACHCasNo7368; Lead titanium zirconium oxide lb\REACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts lb\REACHCasNo0211
Unit of Measure	ST
EAN	4011209693333.0
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Quantity in Package	1
Packaging Length	220,00

## Description

SIRIUS SOFTSTART, WLK. S3, 106A, 75KW/500V, 40 ST., AC 400-600V, AC/DC 24V, SCREW TERMINALS, WITH THERMISTOR MOTOR PROTECTION. The product is RoHS compliant since 01.05.2012 and is manufactured in the Czech Republic. Packaging dimensions are 182 mm in width, 88 mm in height, and 220 mm in length, with a weight of 1860 g. The product is not configurable and has a customs tariff code of 85371098. It contains substances compliant with REACH regulations.