

### 3RW50736AB14

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rw50736ab14
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	8200 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4047621060736.0
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Quantity in Package	1
Packaging Length	349,00
Packaging Width	285,00
Packaging Height	234,00
Product Code	4980
Comparative Metals Coefficient	23.09.2019
Product ID	3RW5073-6AB14
AL Field	N
Compliance	Produkt zgodny z RoHS od: 23.09.2019
Configurable Product	False
Country of Origin	CZ
ECCN	N
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Size	MM
Product Description	Rozrusznik łagodnego rozruchu SIRIUS 200-480 V 250 A, AC 110-250 V zaciski śrubowe wyjście analogowe
Unit of Measure	ST

## Description

The SIRIUS soft starter operates at 200-480 V with a current rating of 250 A and AC 110-250 V terminals, featuring screw connections and an analog output. The product weighs 14.97 kg and complies with RoHS since 23.09.2019. Packaging dimensions are 349 mm in length, 285 mm in width, and 234 mm in height. Country of origin is Czech Republic, and the customs tariff code is 85371098.