

### 3RW55586HA14

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rw55586ha14
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	56000 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4047621059488.0
eClass 6	27-37-09-07
eClass 7.1	27-37-09-07
eClass 8	27-37-09-07
eClass Version 9	27-37-09-07
eClass Version 9.1	27-37-09-07
Quantity in Package	1
Packaging Length	830,00
Packaging Width	570,00
Packaging Height	350,00
Product Code	4982
Comparative Metals Coefficient	11.02.2019
Product ID	3RW5558-6HA14
AL Field	N
Compliance	Produkt zgodny z RoHS od: 11.02.2019
Configurable Product	False
Country of Origin	CZ
ECCN	N
ETIM 7	EC000640
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Size	MM
Product Description	Rozrusznik łagodnego rozruchu SIRIUS 200-480 V 1280 A, AC 110-250 V zaciski śrubowe
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105; Dicyclohexyl phthalate (DCHP) CAS-Nr. 84-61-7; Dodecamethylcyclotrioxane (D6) lblREACHCasNo0976
Unit of Measure	ST

## Description

SIRIUS soft starter 200-480 V 1280 A, 110-250 V AC Screw terminals