

3SE52321LC05

Industrial automation components

Manufacturer	Siemens
Catalog number	3se52321lc05
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Country of Origin	DE
ECCN	N
eClass 6	27-27-06-01
eClass 7.1	27-27-06-01
eClass 8	27-27-06-01
eClass Version 9	27-27-06-01
eClass Version 9.1	27-27-06-01
ETIM 7	EC000030
Group Classification Key	R711
List of Characteristics	CC-IC10
Packaging Length	42,00
Packaging Width	45,00
Packaging Height	97,00
Packaging Size	MM
Product Description	WYŁĄCZNIK POZYCYJNY SIRIUS, OBUDOWA Z TWORZYWA DO EN50047, 31MM, Z PODŁ. 1X(M20X1.5), STYKI MIGOWE INO/2NC, Z TEFLONOWYM TRZPIENIEM, Z 2 LED, ŻÓŁTĄ/ZIEŁONĄ, 24V DC,
Comparative Metals Coefficient	01.07.2006
REACH	Imidazolidine-2-thione (2-imidazoline-2-thiol) lblREACHCasNo4360
Unit of Measure	ST
Metals Coefficient	LA-----
Product ID	3SE5232-1LC05
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Copper Weight	0
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85365080
AL Field	N
EAN	4011209694675.0
Quantity in Package	1
Product Code	5317
Weight	70
Configurable Product	False

Description

Position switch Plastic enclosure according to EN 50047, 31 mm Device connection 1 x (M20 x 1.5) 1 NO/2 NC quick action contacts Teflon plunger with 2 LEDs yellow/green, 24 V DC