

### 3SU14011BB403AA2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3su14011bb403aa2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3SU1401-1BB40-3AA2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
Configurable Product	False
Country of Origin	CZ
ECCN	N
eClass 6	27-37-12-09
eClass 7.1	27-37-12-09
eClass 8	27-37-12-09
eClass Version 9	27-37-12-09
eClass Version 9.1	27-37-12-09
ETIM 7	EC000204
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	L-0-----
Packaging Length	35,00
Packaging Width	35,00
Packaging Height	10,00
Packaging Size	MM
Product Description	moduł LED ze zintegrowaną diodą LED AC/DC 24V, zielony, przyłącze sprężynowe, do montażu do płyty czołowej, strefa ATEX 1-2: bezpieczeństwo samoistne
Comparative Metals Coefficient	01.10.2014
REACH	Lead monoxide (lead oxide)  b REACHCasNo7368
Unit of Measure	ST
EAN	4047621057705.0
Quantity in Package	1
Product Code	5452
Weight	10
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85318070
Copper Weight	0
Article Number	3SU14011BB403AA2
Product Family	Ordering Data Overview
Catalog ID	CC-IC10

<b>Packaging Dimensions</b>	1.378 x 1.378 x 0.394
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	24 V
<b>Product Group</b>	5452
<b>Net Weight</b>	0.018 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85318070

## Description

LED module with integrated LED 24 V AC/DC, green, Spring-loaded terminal, for front plate mounting, ATEX Zone 1-2: Intrinsic safety