

### 3SU1551-1AB30-3MA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3su1551-1ab30-3ma0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	3SU1551-1AB30-3MA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-12-26
eClass 7.1	27-37-12-26
eClass 8	27-37-12-26
eClass Version 9	27-37-12-26
eClass Version 9.1	27-37-12-26
ETIM 7	EC001020
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LB0-----
Packaging Length	50,00
Packaging Width	40,00
Packaging Height	30,00
Packaging Size	MM
Product Description	uchwyt, uniwersalny, potrójny, tworzywo sztuczne/metal, 1N0, 1NC, moduł LED, żółty, AC/DC 24 V, przyłącze sprężynowe
Comparative Metals Coefficient	01.10.2014
REACH	Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85365019
Copper Weight	0
EAN	4047621071831.0
Quantity in Package	1
Product Code	5452
Weight	100
Article Number	3SU15511AB303MA0
Product Family	HOLDERS

<b>Catalog ID</b>	CC-IC10
<b>Packaging Dimensions</b>	1.575 x 1.969 x 1.181
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	24 V
<b>Product Group</b>	5452
<b>Net Weight</b>	0.220 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85365080