

### 3TC48170LB4

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3tc48170lb4
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3TC4817-0LB4
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	True
Copper Weight	0
Country of Origin	DE
EAN	4011209236103.0
ECCN	N
eClass 6	27-37-10-18
eClass 7.1	27-37-10-18
eClass 8	27-37-10-18
eClass Version 9	27-37-10-18
eClass Version 9.1	27-37-10-18
ETIM 7	EC002552
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDP-----
Quantity in Package	1
Packaging Length	329,00
Packaging Width	329,00
Packaging Height	210,00
Packaging Size	MM
Product Description	STYCZNIK WLK. 4 2-P, DC-3 I 5, 75 A PRZY 750 V, STYKI POM. 21 (2N0+1NC), ZAKRES PRACY. 0, 7.. .1, 25 X US, Z WARYSTOREM
Product Code	5807
Comparative Metals Coefficient	01.03.2017
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	804766159329.0
Weight	4700

## Description

Contactor, Size 4, 2-pole, DC-3 and 5, 75 A at 750 V Auxiliary contacts 21 (2NO + 1NC)  
24V DC DC operation with varistor and series resistor Operating range 0.7 to 1.25 x US