

### 3TC5217-0BM0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3tc5217-0bm0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4011209034716.0
ECCN	N
eClass 6	27-37-10-18
eClass 7.1	27-37-10-18
eClass 8	27-37-10-18
eClass Version 9	27-37-10-18
eClass Version 9.1	27-37-10-18
ETIM 7	EC002552
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LD0-----
Quantity in Package	1
Packaging Length	329,00
Packaging Width	329,00
Packaging Height	210,00
Packaging Size	MM
Product Description	Stycznik, wielkość 8, 2-biegunowy, DC-3 i 5, 220A łącznik pomocniczy 22 (2 NO + 2 NC) AC 220V 50Hz/AC 264V 60Hz uruchamianie AC uruchamianie AC
Product Code	5807
Comparative Metals Coefficient	01.03.2017
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Weight	6961
Product ID	3TC5217-0BM0
AL Field	N
Aluminium Weight	0
Article Number	3TC52170BM0
Product Family	3TC contactors for switching DC voltage, 1-pole and 2-pole

<b>Catalog ID</b>	CC-IC10
<b>Packaging Dimensions</b>	12.953 x 12.953 x 8.268
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	220 V, 264 V
<b>Product Group</b>	5807
<b>Net Weight</b>	15.346 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85364900
<b>Current Rating</b>	220 A
<b>Frequency</b>	50 Hz
<b>Number of Poles</b>	2
<b>Utilization Category</b>	DC-3

## Description

Contactor, Size 8, 2-pole, DC-3 and 5, 220 A Auxiliary switch 22 (2 NO + 2 NC) 220 V AC 50 Hz/264 V AC 60 Hz AC operation AC operation