

3UF7010-1AU00-0

Industrial automation components

Manufacturer	Siemens
Catalog number	3uf7010-1au00-0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.07 kgs
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	754554901671.0
Product ID	3UF7010-1AU00-0
AL Field	N
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	DE
EAN	4011209593848.0
ECCN	N
eClass 6	27-37-08-04
eClass 7.1	27-37-08-04
eClass 8	27-37-08-04
eClass Version 9	27-37-08-04
eClass Version 9.1	27-37-08-04
ETIM 7	EC002572
Group Classification Key	R711
List of Characteristics	CC-IC10
Quantity in Package	1
Packaging Length	133,00
Packaging Width	52,50
Packaging Height	133,00
Packaging Size	MM
Product Description	JEDNOSTKA PODSTAWOWA 2 SIMOCODE PRO V, ZŁĄCZE PROFIBUS DP 12 MBIT/S, RS485, 4WE/3WY DOWOLNIE PROGRAMOWALNE, OCHRONA TERMISTOROWA, WYJŚCIA PRZEKAŹNIKOWE MONOSTABILNE, MOŻLIWOŚĆ ROZSZERZENIA O DODATKOWE MODUŁY, US: AC/DC 110-240V
Product Code	5836

Description

3UF7010-1AU00-0 | Siemens SIMOCODE pro V PB PROFIBUS DP Series Basic Unit, 240 V ac/dc, 12 Mbit/s, IP20, 124 x 45 x 111 mm | Brand / Manufacturer: Siemens | type of accessories: Basic Unit | series: SIMOCODE pro V PB PROFIBUS DP | length: 124 mm | width: 45 mm | height: 111 mm | rated voltage: 240 V ac/dc | capacity: 12 Mbit/s | level of security: IP20