

3UF7011-1AB00-0

Industrial automation components

Manufacturer	Siemens
Catalog number	3uf7011-1ab00-0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.45 kgs
Product ID	3UF7011-1AB00-0
AL Field	N
Customs Tariff Code	85371098
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	False
Country of Origin	DE
EAN	4011209902640.0
ECCN	EAR99
eClass 6	27-37-08-04
eClass 7.1	27-37-08-04
eClass 8	27-37-08-04
eClass Version 9	27-37-08-04
eClass Version 9.1	27-37-08-04
ETIM 7	EC002572
Group Classification Key	R711
List of Characteristics	CC-IC10
Quantity in Package	1
Packaging Length	133,00
Packaging Width	52,50
Packaging Height	133,00
Packaging Size	MM
Product Description	JEDNOSTKA PODSTAWOWA 3 SIMOCODE PRO V PN, ZŁĄCZE PROFINET, OPC UA-SERWER, WEB-SERWER, 100 MBIT/S, 2 X GNIAZDO RJ45, 4WE/3WY DOWOLNIE PROGRAMOWALNE, OCHRONA TERMISTOROWA, WYJŚCIA PRZEKAŹNIKOWE MONOSTABILNE, MOŻLIWOŚĆ ROZSZERZENIA O DODATKOWE MODUŁY, US: DC
Product Code	5836
Comparative Metals Coefficient	01.03.2017
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830
Unit of Measure	ST
UPC	887621004170.0

Description

3UF7011-1AB00-0 | Siemens, SIMOCODE Pro Series, I/O Basic Unit, 4 Input, 3 Output, 24 V dc, 111 x 124 x 45 mm | Brand / Manufacturer: Siemens | product type: I/O Basic Unit | series: SIMOCODE Pro | number of contributions: 4 | number of results: 3 | type of contribution: Voltage | type of output: Relay | module type: Input/Output | output current: 2 A | supply voltage: 24 V dc | type of attachment: Screw Mount | Size: 111 x 124 x 45 mm