

### 3UF71221AA010

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3uf71221aa010
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4047621058214.0
eClass 6	27-37-08-04
eClass 7.1	27-37-08-04
eClass 8	27-37-08-04
eClass Version 9	27-37-08-04
eClass Version 9.1	27-37-08-04
Quantity in Package	1
Packaging Length	65,00
Packaging Width	121,00
Packaging Height	119,00
Product Code	5836
Comparative Metals Coefficient	28.05.2009
UPC	804766765513.0
Weight	355
Product ID	3UF7122-1AA01-0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 28.05.2009
Configurable Product	False
Country of Origin	DE
ECCN	EAR99
ETIM 7	EC002572
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	L-0-----
Packaging Size	MM
Product Description	Moduł do pomiaru prądu/napięcia do zabezpieczenia przed pracą na sucho pomp odśrodkowych w obszarach zagrożenia wybuchem; Prąd nastawczy 10...115 A, pomiar napięcia do 690 V, szerokość 55 mm, Przekładnik prądowy przelotowy
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST

## Description

Current/voltage measuring module for dry-running protection of centrifugal pumps in hazardous areas; set current 10 ... 115 A, voltage measurement up to 690 V, width 55 mm, straight-through transformer