

3UG46512AW30

Industrial automation components

Manufacturer	Siemens
Catalog number	3ug46512aw30
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product ID	3UG4651-2AW30
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4011209682047.0
ECCN	N
eClass 6	27-37-18-11
eClass 7.1	27-37-18-11
eClass 8	27-37-18-11
eClass Version 9	27-37-18-11
eClass Version 9.1	27-37-18-11
ETIM 7	EC001448
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Quantity in Package	1
Packaging Length	108,00
Packaging Width	98,00
Packaging Height	30,00
Packaging Size	MM
Product Description	CYFROWY PRZEKAŹNIK KONTROLI PRĘDKOŚCI 0.1DO 2200 IMPULSÓW/MIN PRZEKROCZENIE GÓRNEJ I DOLNEJ GRANICY NAPIĘCIE 24-240V AC/DC, OPÓŹNIENIE ZAŁĄCZENIA 1 DO 900S, OPÓŹNIENIE WYZWOLENIA 0.1DO 99.9S, HISTEREZA 0.1DO 99 IMPULSÓW/MIN, STYK 1COZACISKI SPRĘŻYNOWE
Product Code	5885
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
UPC	887621849269.0
Weight	154

Description

Digital monitoring relay Speed monitoring from 0.1 to 2200 rpm Overshoot and undershoot
24 to 240 V AC/DC 50 to 60 Hz DC and AC ON delay 1 to 900 s Tripping delay 0.1 to 99.9 s
Hysteresis 0.1 to 99 rpm 1 change-over contact with or without fault buffer spring-type
connection system