

### 3UG48322AA40

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3ug48322aa40
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3UG4832-2AA40
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4011209895867.0
ECCN	N
eClass 6	27-37-18-01
eClass 7.1	27-37-18-01
eClass 8	27-37-18-01
eClass Version 9	27-37-18-01
eClass Version 9.1	27-37-18-01
ETIM 7	EC001438
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Quantity in Package	1
Packaging Length	99,00
Packaging Width	34,00
Packaging Height	111,00
Packaging Size	MM
Product Code	5885
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Dicyclohexyl phthalate (DCHP) CAS-Nr. 84-61-7
Unit of Measure	ST
UPC	40892871838.0
Weight	147

## Description

Digital monitoring relay Voltage monitoring, 22.5 mm for IO-Link 10...600 V AC/DC  
Overvoltage and undervoltage Hysteresis 0.1 to 300 V ON-delay time Tripping delay time 1  
change-over contact, spring-type connection system