

3VA1112-3FF46-0AA0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3va1112-3ff46-0aa0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| Product ID | 3VA1112-3FF46-0AA0 |
| AL Field | N |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85362090 |
| Compliance | Produkt zgodny z RoHS od: 01.04.2014 |
| Configurable Product | False |
| Copper Weight | 0 |
| Country of Origin | CZ |
| EAN | 4042948823286.0 |
| ECCN | EAR99 |
| eClass 6 | 27-37-04-09 |
| eClass 7.1 | 27-37-04-09 |
| eClass 8 | 27-37-04-09 |
| eClass Version 9 | 27-37-04-09 |
| eClass Version 9.1 | 27-37-04-09 |
| ETIM 7 | EC000228 |
| Group Classification Key | P360 |
| List of Characteristics | LV10.1 |
| Metals Coefficient | LOA----- |
| Quantity in Package | 1 |
| Packaging Length | 150,00 |
| Packaging Width | 119,00 |
| Packaging Height | 116,00 |
| Packaging Size | MM |
| Product Description | wyłącznik 3VA1 IEC Frame 160 zdolność załączania N Icu=25kA przy 415V 4-bieg., ochrona instalacji TM240, ATAM, In=125A, zabezpieczenie od przeciążeń Ir=88A...125A zabezpieczenie przeciwzwarciowe Ii=5...10 x In ochrona przewodu N 50% przyłącze zaciskowe |
| Product Code | 5375 |
| Comparative Metals Coefficient | 01.04.2014 |
| REACH | Lead CAS-Nr. 7439-92-1 |
| Unit of Measure | ST |
| UPC | 804766429583.0 |
| Weight | 1170 |
| Article Number | 3VA11123FF460AA0 |

| | |
|-------------------------------------|------------------------|
| Product Family | Ordering Data Overview |
| Catalog ID | LV10.1 |
| Packaging Dimensions | 4.685 x 5.906 x 4.567 |
| Package Size Unit of Measure | Inch |
| Quantity Unit | 1 Piece |
| Voltage Rating | 690 V, 415 V |
| Product Group | 5375 |
| Net Weight | 2.579 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 85362090 |
| Current Rating | 125 A |
| Number of Poles | 4 |