

3VA11125GF460AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va11125gf460aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042948824627
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	150,00
Packaging Width	119,00
Packaging Height	116,00
Product Code	5375
Comparative Metals Coefficient	01.04.2014
UPC	804766429026
Weight	1375 kg
Product ID	3VA1112-5GF46-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Product Description	wyłącznik 3VA1 IEC Frame 160 zdolność załączania M Icu=55kA przy 415V 4-bieg., ochrona instalacji TM240, ATAM, In=125A, zabezpieczenie od przeciążeń Ir=88A...125A zabezpieczenie przeciwzwarciowe Ii=5...10 x In ochrona przewodu N 100% przyłącze zaciskowe
Article Number	3VA11125GF460AA0

Product Family	Ordering Data Overview
Product Group	5375
Catalog ID	LV10.1
Net Weight	3.031 lb
Packaging Dimensions	4.685 x 5.906 x 4.567
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	125 A
Voltage Rating	690 V, 415 V
Number of Poles	4

Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA11 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 125A 4-POLE I_{cu}: (10KAIC AT 690V) (55KAIC AT 415V). TM240 TRIP UNIT WITH ADJUSTABLE I_r ADJUSTABLE I_i 100PCT NEUTRAL PROTECTION. SPECIAL FEATURES: CONNECTION WITH BOX TERMINAL / STEEL WRAP AROUND LUG. DIMENSIONS (W x H x D) IN: 4 x 5.1 x 3.5.