

3VA11126ED360AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va11126ed360aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	1067 kg
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	150,00
Packaging Width	92,00
Packaging Height	116,00
Product Code	5375
Comparative Metals Coefficient	01.04.2014
UPC	804766429002
Product ID	3VA1112-6ED36-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Product Description	wyłącznik 3VA1 IEC Frame 160 zdolność załączania H Icu=70kA przy 415V 3-bieg., ochrona instalacji TM210, FTFM, In=125A, zabezpieczenie od przeciążeń Ir=125A nastawiony na stałe zabezpieczenie przeciwzwarciowe Ii=10 x In przyłącze zaciskowe
EAN	4042948821947
Article Number	3VA11126ED360AA0

Product Family	Ordering Data Overview
Packaging Dimensions	3.622 x 5.906 x 4.567
Quantity Unit	1 Piece
Voltage Rating	690 V, 415 V
Product Group	5375
Catalog ID	LV10.1
Net Weight	2.352 lb
Packaging Quantity	1 pieces
Package Size Unit of Measure	Inch
Commodity Code	85362090
Current Rating	125 A
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA11 FRAME WITH HIGH (CLASS H) BREAKING CAPACITY. 125A 3-POLE Icu: (10KAIC AT 690V) (70KAIC AT 415V). TM210 TRIP UNIT WITH FIXED Ir FIXED Ii. SPECIAL FEATURES: CONNECTION WITH BOX TERMINAL / STEEL WRAP AROUND LUG. DIMENSIONS (W x H x D) IN: 3 x 5.1 x 3.5.