

### 3VA1116-3GF46-0AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va1116-3gf46-0aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	3VA1116-3GF46-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948824641.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Quantity in Package	1
Packaging Length	150,00
Packaging Width	119,00
Packaging Height	116,00
Packaging Size	MM
Product Description	wyłącznik 3VA1 IEC Frame 160 zdolność załączania N Icu=25kA przy 415V 4-bieg., ochrona instalacji TM240, ATAM, In=160A zabezpieczenie od przeciążeń Ir=112A...160A zabezpieczenie przeciwzwarciove Ii=5...10 x In ochrona przewodu N 100% przyłącze zaciskowe
Product Code	5375
Comparative Metals Coefficient	01.04.2014
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	804766428302.0
Weight	1376

<b>Article Number</b>	3VA11163GF460AA0
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10.1
<b>Packaging Dimensions</b>	4.685 x 5.906 x 4.567
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	690 V, 415 V
<b>Product Group</b>	5375
<b>Net Weight</b>	3.027 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362090
<b>Current Rating</b>	160 A
<b>Number of Poles</b>	4