

### 3VA11164EF320AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va11164ef320aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042948808917
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	150,00
Packaging Width	92,00
Packaging Height	116,00
Product Code	5375
Comparative Metals Coefficient	01.04.2014
Weight	992 kg
Product ID	3VA1116-4EF32-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	804766428197
Product Description	wyłącznik 3VA1 IEC Frame 160 zdolność załączania S Icu=36kA przy 415V 3-bieg., ochrona instalacji TM240, ATAM, In=160A zabezpieczenie od przeciążeń Ir=112A...160A zabezpieczenie przeciwzwarciowe Ii=5...10 x In przyłącze płaskie śrubowe
Packaging Dimensions	3.622 x 5.906 x 4.567

<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	690 V, 415 V
<b>Article Number</b>	3VA11164EF320AA0
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10.1
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362090
<b>Current Rating</b>	160 A
<b>Number of Poles</b>	3
<b>Product Group</b>	5375
<b>Net Weight</b>	2.189 lb

## Description

The 3VA1 IEC Frame 160 circuit breaker features a breaking capacity of  $S_{Icu}=36kA$  at 415V, 3-pole configuration, and protection for installations TM240. Rated current  $I_n=160A$ , overload protection  $I_r=112A...160A$ , and short-circuit protection  $I_i=5...10 \times I_n$ . Compliant with RoHS since 01.04.2014, made in CZ. The net weight is 2.189 kg, with packaging dimensions of 150 x 92 x 116 mm.