

3VA11164GD420AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va11164gd420aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042948816325
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	150,00
Packaging Width	119,00
Packaging Height	116,00
Product Code	5375
Comparative Metals Coefficient	01.04.2014
UPC	804766428098
Weight	1290 kg
Product ID	3VA1116-4GD42-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Packaging Dimensions	4.685 x 5.906 x 4.567
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces

Commodity Code	85362090
Current Rating	160 A
Voltage Rating	690 V, 415 V
Number of Poles	4
Article Number	3VA11164GD420AA0
Product Family	Ordering Data Overview
Product Group	5375
Catalog ID	LV10.1
Net Weight	2.844 lb

Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA11 FRAME WITH STANDARD (CLASS S) BREAKING CAPACITY. 160A 4-POLE Icu: (7KAIC AT 690V) (36KAIC AT 415V). TM220 TRIP UNIT WITH FIXED Ir FIXED Ii 100PCT NEUTRAL PROTECTION. SPECIAL FEATURES: CONNECTION WITH LUG TERMINAL / NUT KEEPER. DIMENSIONS (W x H x D) IN: 4 x 5.1 x 3.5.