

3VA11634GF460AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va11634gf460aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

EAN	4042948824498.0
Product ID	3VA1163-4GF46-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
ECCN	N
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	150,00
Packaging Width	119,00
Packaging Height	116,00
Packaging Size	MM
Product Description	wyłącznik 3VA1 IEC Frame 160 zdolność załączania S Icu=36kA przy 415V 4-bieg., ochrona instalacji TM240, ATAM, In=63A zabezpieczenie od przeciążeń Ir=44A...63A zabezpieczenie przeciwzwarciowe Ii=5...10 x In ochrona przewodu N 100% przyłącze zaciskowe
Product Code	5375
Comparative Metals Coefficient	01.04.2014
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	804766423789.0
Weight	1322
Article Number	3VA11634GF460AA0

Product Family	Ordering Data Overview
Packaging Dimensions	4.685 x 5.906 x 4.567
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	690 V, 415 V
Product Group	5375
Net Weight	2.915 lb
Packaging Quantity	1 pieces
Commodity Code	85362010
Current Rating	63 A
Number of Poles	4
Catalog ID	LV10.1

Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA11 FRAME WITH STANDARD (CLASS S) BREAKING CAPACITY. 63A 4-POLE Icu: (7KAIC AT 690V) (36KAIC AT 415V). TM240 TRIP UNIT WITH ADJUSTABLE Ir ADJUSTABLE Ii 100PCT NEUTRAL PROTECTION. SPECIAL FEATURES: CONNECTION WITH BOX TERMINAL / STEEL WRAP AROUND LUG. DIMENSIONS (W x H x D) IN: 4 x 5.1 x 3.5.