

### 3VA14634EF320AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va14634ef320aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042948809655.0
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	261,00
Packaging Width	162,00
Packaging Height	170,00
Product Code	5375
Comparative Metals Coefficient	01.06.2012
UPC	804766889998.0
Weight	4951
Packaging Size	MM
Product ID	3VA1463-4EF32-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2012
Configurable Product	False
Country of Origin	CZ
ECCN	N
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LOA-----
Product Description	wyłącznik 3VA1 IEC Frame 630 zdolność załączania S Icu=36kA przy 415V 3-bieg., ochrona instalacji TM240, ATAM, In=630A, zabezpieczenie od przeciążeń Ir=440A...630A zabezpieczenie przeciwzwarciowe Ii=4...8 x In przyłącze płaskie śrubowe
Unit of Measure	ST
Article Number	3VA14634EF320AA0
Product Family	Ordering Data Overview

<b>Catalog ID</b>	LV10
<b>Packaging Dimensions</b>	6.378 x 10.276 x 6.693
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	600 V, 415 V
<b>Product Group</b>	5375
<b>Net Weight</b>	10.853 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362090
<b>Current Rating</b>	0 A
<b>Number of Poles</b>	3

## Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH THERMAL -MAGNETIC TRIP UNIT. 3VA14 FRAME WITH STANDARD (CLASS S) BREAKINGCAPACITY. 0A 3-POLE Icu: (7KAIC AT 600V) (36KAIC AT 415V). TM240 TRIPUNIT WITH ADJUSTABLE Ir ADJUSTABLE Ii. SPECIAL FEATURES: CONNECTION WITHLUG TERMINAL / NUT KEEPER. DIMENSIONS (W x H x D) IN: 5.4 x 9.8 x 5.4.