

### 3VA1580-6EF42-0AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va1580-6ef42-0aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3VA1580-6EF42-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	MX
EAN	4042948835272.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LPB-----
Quantity in Package	1
Packaging Length	365,00
Packaging Width	318,00
Packaging Height	178,00
Packaging Size	MM
Product Code	5375
Comparative Metals Coefficient	01.01.2016
REACH	Lead CAS-Nr. 7439-92-1; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	195125111196.0
Weight	17600

## Description

wyłącznik 3VA1 IEC Frame 1000 zdolność załączania H Icu=70kA przy 415V 4-bieg., ochrona instalacji TM240, ATAM, In=800A, zabezpieczenie od przeciążeń Ir=560A...800A  
zabezpieczenie przeciwzwarciowe Ii=5...10 x In przewód neutralny brak ochrony przyłącze  
płaskie śrubowe